REPLACED BY ART 34 AMOT.

34

R^{12'}

.R^{11'} .

We claim:

1. A process for preparing racemic metallocene complexes of the formula (I)

5

15

20

where

25

is a divalent group such as

30

(I)

and

5

is a divalent group such as

10

15

and the substituents and indices have the following meanings:

20

M

is titanium, zirconium, hafnium, vanadium, niobium, tantalum, chromium, molybdenum, tungsten or an element of transition group III of the Periodic Table and the lanthanides,

25

R¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, R¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹ are identical or different and are each hydrogen, halogen, C1-C20-alkyl, 3- to 8-membered cycloalkyl which may in turn bear a C₁-C₁₀-alkyl group as substituent, C₆-C₁₅aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, arylalkyl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part,

30

-OR¹³, -SR¹³, -N(R¹³)₂, -P(R¹³)₂, or Si(R¹³)₃, where R¹³

are identical or different and are each C1-C10-alkyl, C6-C15-aryl, C3-C10-

cycloalkyl, alkylaryl, where the radicals mentioned may be partially or fully

substituted by heteroatoms,

35

R^{8'}, R^{12'} are identical or different and are each C₁-C₁₀-alkyl,.

Υ

are identical or different and are each

15

20

30

36

= BR^{14} , = AIR^{14} , -Ge-, -Sn-, -O-, -S-, = SO, = SO_2 , = NR^{14} , = CO, = PR^{14} or = $P(O)R^{14}$, where

R¹⁴ are identical or different and are each hydrogen, halogen, C_1 – C_{10} –alkyl, C_1 – C_{10} –fluoroalkyl, C_6 – C_{10} –fluoroaryl, C_6 – C_{10} –aryl, C_1 – C_{10} –alkoxy, C_2 – C_{10} –alkenyl, C_7 – C_{40} –arylalkyl, C_8 – C_{40} –arylalkenyl, C_7 – C_{40} –alkylaryl or two radicals R¹⁴ together with the atoms connecting them form a ring, and

M¹ is silicon, germanium or tin,

 R^7 is a -[Z(R^{15})(R^{16})]_m- group, where

25 Z can be identical or different and are each silicon, germanium, tin or carbon,

 R^{15} , R^{16} are each hydrogen, C_1 - C_{10} -alkyl, C_3 - C_{10} -cycloalkyl or C_6 - C_{15} -aryl,

m is 1, 2, 3 or 4,

by reacting a transition metal complex of the formula (II)

WO 2004/037834

REPLACED BY ART 34 ANDT

where

Χ

are identical or different and are each hydrogen, halogen, C_1 – C_{10} –alkyl, C_6 – C_{15} –aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, – OR^{17} or - NR^{17}_{21} , where R^{17} are identical or different and are each C_1 – C_{10} -alkyl, C_6 – C_{15} -aryl, C_3 – C_{10} -cycloalkyl, alkylaryl, in the aryles are delayed to the value of R^{17} are identical or different and are each R^{17} – R^{19} –

n

is an integer from 1 to 4 and corresponds to the valence of M minus 2,

with cyclopentadienyl derivatives of the formula (III)

10

15

5

20

25

where

M²

is an alkali metal ion or alkaline earth metal ion,

and

р

is 1 when M² is an alkaline earth metal ion and is 2 when M² is an alkali metal

ion,

and heating the resulting reaction mixture to a temperature in the range from –78 to +250°C.

30

2. A process as claimed in claim 1 for preparing racemic metallocene complexes of the formula (I)

5

10

$$R^{2}$$
 R^{10}
 R^{11}
 R^{12}
 R^{11}
 R^{12}
 R^{11}
 R^{12}
 R^{11}
 R^{12}

15

where


20

(l)

25 is a divalent group such as

30

and



is a divalent group such as

10 and the substituents and indices have the following meanings:

M is titanium, zirconium, hafnium, vanadium, niobium, tantalum, chromium, molybdenum, tungsten or an element of transition group III of the Periodic Table and the lanthanides,

R¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, R¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹
are identical or different and are each hydrogen, halogen, C₁–C₂₀–alkyl, 3– to 8–membered cycloalkyl which may in turn bear a C₁–C₁₀–alkyl group as substituent, C₆–C₁₅–aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, arylalkyl having from 1 to 10 carbon atoms in the aryl part,

-OR¹³, -SR¹³, -N(R¹³)₂, -P(R¹³)₂ or Si(R¹³)₃, where are identical or different and are each C_1 - C_{10} -alkyl, C_8 - C_{15} -aryl, C_3 - C_{10} -cycloalkyl, alkylaryl, where the radicals mentioned may be partially or fully substituted by heteroatoms,

 R^8 , R^{12} , $R^{8'}$, $R^{12'}$ are identical or different and are each C_1 - C_{10} -alkyl,

30 Y are identical or different and are each

15

20

 $=BR^{14}$, $=AIR^{14}$, -Ge-, -Sn-, -O-, -S-, $=SO_2$, $=NR^{14}$, $=CO_1$, $=PR^{14}$ or $=P(O)R^{14}$,

15 where R¹⁴

30

are identical or different and are each hydrogen, halogen, C_1 — C_{10} —alkyl, C_1 — C_{10} —fluoroalkyl, C_6 — C_{10} —fluoroaryl, C_6 — C_{10} —aryl, C_1 — C_{10} —alkoxy, C_2 — C_{10} —alkenyl, C_7 — C_{40} —arylalkyl, C_8 — C_{40} —arylalkenyl, C_7 — C_{40} —alkylaryl or two radicals R^{14} together with the atoms connecting them form a ring, and

20 M¹ is silicion, germanium or tin,

 R^7 is a -[Z(R^{15})(R^{16})]_m- group, where

25 Z can be identical or different and are each silicon, germanium, tin or carbon,

 R^{15} , R^{16} are each hydrogen, C_1 - C_{10} -alkyl, C_3 - C_{10} -cycloalkyl or C_6 - C_{15} -aryl,

m is 1, 2, 3 or 4,

comprising the following steps:

a) deprotonation of a compound of the formula (IV)

NO CENTRAL PARTY

by means of a suitable deprotonating agent;

b) reaction of the deprotonated compound (IV) with a compound R⁷Hal₂, where Hal is a halogen substituent such as F, Cl, Br or I, and subsequent repeat deprotonation by means of a suitable deprotonating agent to give the compound of the formula (III)

5

10

15

20

· (III)

where

M²

is an alkali metal ion or alkaline earth metal ion,

where

p is 1 when M² is an alkaline earth metal ion and is 2 when M² is an alkali metal ion, and R⁷ is as defined above;

c) 25

reaction of the compound of the formula (III) with a transition metal complex of the formula (II)

30

$$R^{10}$$
 R^{11}
 $R^{11'}$
 $R^{10'}$
 $R^{10'}$
 R^{9}
 $R^{9'}$
 $R^{8'}$

35

40

(II)

where

X

are identical or different and are each hydrogen, halogen, C_1 — C_{10} —alkyl, C_6 — C_{15} —aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, — OR^{17} or- NR^{17}_{2} , where R^{17} are identical

n

42

to 20 carbon atoms in the aryl part, $-OR^{17}$ or $-NR^{17}_{2}$, where R^{17} are identical or different and are each C_1 - C_{10} -alkyl, C_6 - C_{15} -aryl, C_3 - C_{10} -cycloalkyl, alkylaryl, is an integer from 1 to 4 and corresponds to the valence of M minus 2, and the other substituents are as defined above.

5

3. A racemic metallocene complex of the formula (I)

10

15

$$R^{2}$$
 R^{10}
 R^{11}
 R^{12}
 R^{11}
 R^{12}
 R^{11}
 R^{10}
 R^{10}

20

where

25

(1)

30

is a divalent group such as

35

REPLACED BY ART 34 ANDT



5

is a divalent group such as

10

15

and the substituents and indices have the following meanings:

M

is titanium, zirconium, hafnium, vanadium, niobium, tantalum, chromium, molybdenum, tungsten or an element of transition group III of the Periodic Table and the lanthanides,

25

20

R¹, R², R³, R⁴, R⁵, R⁶, R⁹, R¹⁰, R¹¹, R¹¹, R²¹, R²¹, R³¹, R⁴¹, R⁵¹, R⁶¹, R⁶¹, R¹⁰, R¹¹¹ are identical or different and are each hydrogen, halogen, C₁–C₂₀–alkyl, 3– to 8–membered cycloalkyl which may in turn bear a C₁–C₁₀–alkyl group as substituent, C₆–C₁₅–aryl, alkylaryl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, arylalkyl having from 1 to 10 carbon atoms in the alkyl part and from 6 to 20 carbon atoms in the aryl part, -OR¹³, -SR¹³, -N(R¹³)₂, -P(R¹³)₂ or Si(R¹³)₃, where

30

R¹³ are identical or different and are each C₁-C₁₀-alkyl, C₆-C₁₅-aryl, C₃-C₁₀-cycloalkyl, alkylaryl, where the radicals mentioned may be partially or fully substituted by heteroatoms,

35

R⁸, R¹², R⁸, R¹² are identical or different and are each C₁-C₁₀-alkyl,

Y

are identical or different and are each

25

30

35

40

PEPLACED BY

44

15 =
$$BR^{14}$$
, = AIR^{14} , - Ge -, - Sr -, - Ge -, - Sr -, = SO_2 , = NR^{14} , = CO_1 = PR^{14} or = $P(O)R^{14}$, where

R¹⁴ are identical or different and are each hydrogen, halogen, C_1 — C_{10} —alkyl, C_1 — C_{10} —fluoroalkyl, C_6 — C_{10} —fluoroaryl, C_6 — C_{10} —aryl, C_1 — C_{10} —alkoxy, C_2 — C_{10} —alkenyl, C_7 — C_{40} —arylalkyl, C_8 — C_{40} —arylalkenyl, C_7 — C_{40} —alkylaryl or two radicals R¹⁴ together with the atoms connecting them form a ring, and

M¹ is silicon, germanium or tin,

 R^7 is a -[Z(R^{15})(R^{16})]_m- group, where

Z can be identical or different and are each silicon, germanium, tin or carbon,

 R^{15} , R^{16} are each hydrogen, C_1 - C_{10} -alkyl, C_3 - C_{10} -cycloalkyl or C_6 - C_{15} -aryl, and is 1, 2, 3 or 4.

4. A process or complex as claimed in any of the preceding claims,


wherein the substituents R⁸, R^{8'} and R¹², R^{12'} are identical and are selected from among

methyl, ethyl, n-propyl, i-propyl, n-butyl, sec-butyl and tert-butyl, particularly preferably methyl.

A process or complex as claimed in any of the preceding claims,
 wherein the substituents R¹ and R^{1'} are identical or different and are each hydrogen or methyl.

- 6. A process or complex as claimed in any of the preceding claims, wherein the bridging units Y are identical and are each oxygen.
- 5 7. A process or complex as claimed in any of the preceding claims, wherein M is zirconium.
 - A process or complex as claimed in any of the preceding claims, wherein M² is magnesium or lithium.
- 9. A process or complex as claimed in any of the preceding claims, wherein R⁷ is a dimethylsilyl group or an ethanediyl group.
- 15 10. A process as claimed in any of claims 1, 2 and 4 to 9, wherein, in a further step, the compound of the formula (I) is reacted with suitable replacement reagents to replace at least one of the groups

- by halogen substituents such as F, Cl, Br or I or by linear, branched or cyclic C₁₋₁₀-alkyl substituents.
- A process as claimed in claim 10,
 wherein the replacement reagents are selected from among aliphatic and aromatic car boxylic acid halides such as acetyl chloride, phenylacetyl chloride, 2–thiophenacetyl chloride, trichloroacetyl chloride, trimethylacetyl chloride, O–acetylmandelyl chloride, 1,3,5–ben zenetricarboxylic chloride, 2,6–pyridinecarboxylic chloride, tert–butylacetyl chloride, chlo roacetyl chloride, 4–chlorobenzacetyl chloride, dichloroacetyl chloride, 3–methoxyphenyla cetyl chloride, acetyl bromide, bromoacetyl bromide, acetyl fluoride, benzoyl fluoride,
 SOCl₂, silicon tetrachloride, organoaluminum compounds such as tri-C₁-C₁₀ alkylaluminums, in particular trimethylaluminum, triethylaluminum, tri-n-butylaluminum, tri
 - alkylaluminums, in particular trimethylaluminum, triethylaluminum, tri-n-butylaluminum, tri-isobutylaluminum, and dialkylaluminum chlorides, aluminum sesquichlorides, methylaluminum dichloride, dimethylaluminum chloride, aluminum trichloride and ethylaluminum dichloride and combinations thereof.



- 12. A process as claimed in claim 10, wherein replacement reagents used are HF, HBr, HI, preferably HCI, as such or as solutions in water or organic solvents such as diethyl ether, DME or THF.
- 5 13. A process as claimed in any of claims 1, 2 and 4 to 12,
 wherein the deprotonating agent is selected from among n-butyllithium, tert-butyllithium,
 sodium hydride, potassium tert-butoxide, Grignard reagents of magnesium, magnesium
 compounds such as, in particular, di-n-butylmagnesium, (n,s)-dibutylmagnesium and other
 suitable alkaline earth metal alkyl and alkali metal alkyl compounds.

A process as claimed in any of claims 1, 2 and 4 to 13,
 wherein no intermediates are isolated during the process.

- 15. A complex as claimed in claim 3 selected from among dimethylsilylbis(1-indenyl)zirconium bis(2,4,6-trimethylphenoxide), dimethylsilylbis(2-methyl-1-indenyl)zirconium bis(2,4,6-trimethylphenoxide), dimethylsilylbis(2-methyl-1-indenyl)zirconium bis(2,6-dimethyl-4-bromophenoxide) and ethanediylbis(1-indenyl)zirconium bis(2,4,6-trimethylphenoxide).
- 20 16. The use of a racemic metallocene complex as claimed in any of claims 3 to 9 and 15 as a catalyst or as a constituent of a catalyst for the polymerization of olefinically unsaturated compounds or as a reagent or catalyst in stereoselective synthesis.

10

30